

Habitat Friendly Solar Program

Workshop- Assessment and Forms
Paul Erdmann - Dan Shaw - BWSR




Agenda

- 1)Overview
- 2)Go over process and forms
- 3) Discuss exercise
- 4) Groups of 3-4. Fill out forms
- 5) Group discussion





Seed Mixes




Seed Mixes

Maps for Distribution of Mixes



Seed mix information



Seed Mixes

Low Growing Solar Array Northeast+	Pilot Seed Mix	Pollinator	Northeast	Microsoft Word PDF
Low Growing Solar Array South & West	Pilot Seed Mix	Pollinator	South & West	Microsoft Word PDF
Low Growing Solar Array Moist Soils South & West	Pilot Seed Mix	Pollinator	South & West	Microsoft Word PDF





BWSR Pilot Seed Mixes



July

PILOT SEED MIXES:

These new "Pilot" seed mixes have been developed for a variety of restoration, conservation and stormwater uses. Goals were to meet the needs of common project types and to create direction for emerging topics such as biofuels, buffers, conservation grazing, and pollinators. All of the mixes were developed for specific functions and incorporate pollinator habitat to the extent possible. The mixes will remain as pilot mixes for a couple years until we understand how they are performing before we work to make them official state mixes. In many cases these mixes should be considered starting points for developing site specific mixes.

Note: Oats cover crop is included as a component of these seed mixes with the exception of some wetland mixes where cover species are not necessary. Winter wheat (at a similar rate to oats) may be selected in some cases where germination is needed later in the fall, followed by further green-up the following spring (oats will not come back the follow spring unless it re-establishes from seed).

Finalized Low Growing Solar Array Mix South & West

Function: Pollinator
Planting Area: S & W

Intent: Low growing native vegetation establishment for under

solar panels in south and west MN

Specialization:

Carran	Scientific Name	Common Name	Seeds/ sq ft	Rate (lb/ac)	% Mix (by sqft)	% Mix (by wt)
Cover	Avena sativa	Oats* (See Cover crop note)	6	20.42		
		Total Guild:	6	20.42	12.85%	77.9%
Forb						
	Achillea millefolium	Common Yarrow	0.41	0.01		
	Allium stellatum	Prairie Wild Onion	0.51	0.12		
	Anemone canadesis	Canada Anemone	0.18	0.06		
	Anemone cylindrica	Long-headed Thimbleweed	0.6	0.06		
	Asclepias syriaca	Common Milkweed	0.46	0.30		
	Asclepias verticillata	Whorled Milkweed	0.32	0.08		
	Astragalus crassicarpus	Ground Plum	0.36	0.19		
	Echinacea angustifolia	Narrow-leaved Purple Conefl	0.64	0.25		
	Euthamia graminifolia	Grass-leaved Goldenrod	0.8	0.01		
	Galium boreale	Northern Bedstraw	0.4	0.02		









Mesic Prairie Southeast

Common Name	Scientific Name	Rate (kg/ha)	Rate (lb/ac)	% of Mix (% by wt)	Seeds/ sq ft
big bluestem	Andropogon gerardii	1.01	0.90	7.49%	3.30
side-oats grama	Bouteloua curtipendula	1.54	1.37	11.38%	3.01
nodding wild rye	Elymus canadensis	1.18	1.05	8.77%	2.01
slender wheatgrass	Elymus trachycaulus	1.01	0.90	7.50%	2.28
switchgrass	Panicum virgatum	0.24	0.21	1.78%	1.10
little bluestem	Schizachyrium scoparium	1.42	1.27	10.59%	7.00
Indian grass	Sorghastrum nutans	2.24	2.00	16.68%	8.82
	Total Grasses	8.63	7.70	64.19%	27.52
butterfly milkweed	Asclepias tuberosa	0.07	0.06	0.53%	0.10
whorled milkweed	Asclepias verticillata	0.01	0.01	0.10%	0.05
Canada milk vetch	Astragalus canadensis	0.18	0.16	1.33%	1.00
partridge pea	Chamaecrista fasciculata	0.67	0.60	5.00%	0.60
white prairie clover	Dalea candida	0.01	0.01	0.07%	0.06
purple prairie clover	Dalea purpurea	0.10	0.09	0.76%	0.50
Canada tick trefoil	Desmodium canadense	0.17	0.15	1.24%	0.30
ox-eye	Heliopsis helianthoides	0.06	0.05	0.43%	0.12
rough blazing star	Liatris aspera	0.03	0.03	0.21%	0.15
great blazing star	Liatris pycnostachya	0.03	0.03	0.29%	0.14
wild bergamot	Monarda fistulosa	0.01	0.01	0.06%	0.18
stiff goldenrod	Oligoneuron rigidum	0.02	0.02	0.17%	0.31
gray-headed coneflower	Ratibida pinnata	0.02	0.02	0.15%	0.20
black-eyed susan	Rudbeckia hirta	0.06	0.05	0.38%	1.54
heath aster	Symphyotrichum ericoides	0.01	0.01	0.05%	0.40
smooth aster	Symphyotrichum laeve	0.06	0.05	0.41%	1.00
bracted spiderwort	Tradescantia bracteata	0.04	0.04	0.34%	0.15
blue vervain	Verbena hastata	0.04	0.04	0.37%	1.50
hoary vervain	Verbena stricta	0.11	0.10	0.85%	1.05
golden alexanders	Zizia aurea	0.08	0.07	0.60%	0.29
	Total Forbs	1.79	1.60	13.34%	9.64
Oats	Avena sativa	3.03	2.70	22.47%	1.20
	Total Cover Crop	3.03	2.70	22.47%	1.20
	Totals:	13.45	12.00	100.00%	38.36
Purpose:	Regional mesic prairie reconstruction for wetland mitigation, ecological restoration, or conservation program plantings.				
Planting Area:	Eastern Broadleaf Forest Province excluding Hardwood Hills subsection. Mn/DOT Districts Metro & 6.				

Forms



Solar Site Pollinator Habitat Assessment

Form for Project Planning
For solar companies and local governments to meet Habitat Friendly standards

 PLANNED % OF SITE D 	OMINATED BY NATIVE SPECI	ES 6. SHE PLANNING AND MANAGEMENT
COVER (wildflowers, gras	ses, sedges, shrubs, trees)	 Detailed establishment and +15 points
26-50%	+5 points	management plan (see notes)
51-75%.	+10 points	developed with funding/
76-100%	+15 points	contract to implement
	Total points	☐ Signage legible at forty or more +5 points
	SITE VEGETATION COVER T	O BF feet stating pollinator friendly
	WERS (not grasses and sedge	
20-45 %	+5 points	Total points
46-60 %	+10 points	7. SEED MIXES
61+%	+15 points	Mixes are composed of at least +5 points
01170	Total points	40 seeds per square foot
	lotal politis	All seed genetic origin within 175 +8 points
Note: Projects may have "ar		
forb dominance should be as dominance should be calcula		
seeds vs. grass seeds based (
seed mixes to be planted).	an seeds per square youthron	Total points
2 DI ANNED COLED DIVER	RSITY (# of species in seed m	. 8. INSECTICIDE RISK
	wetland mixes can be comb	
numbers from upland and		use or pre-planting seed/plant
10-19 species	+5 points	treatment (excluding buildings/
20-25 species	+10 points	electrical boxes, etc.)
26 or more species	+15 points	Communication with local
	Total points	chemical applicators/neighbors +10 points
		about need to prevent drift from
4. PLANNED SEASONS WI		adjacent areas (see notes).
SPECIES PRESENT (check/	add all that apply)	Total mainta
Spring (April-May)	+5 points	Total points
Summer (June-Augu	st) +5 points	2
☐ Fall (September-Oct	ober) +5 points	Grand Total
	Total points	
See BWSR Pollinator Toolb	ox about bloom seasons	Provides Exceptional Habitat >85
5. AVAILABLE HABITAT CO		Meets Pollinator Standards 70-84
.25 MILES (check/add all t		- 1
☐ Native bunch grasse		Project Name:
Veget		Vegetation Consultant:
Flojet		Project County:
Troje		Project Size:
(bee blocks, etc.)	Total points	Projected Seeding Date:
(See Siocks, etc.)	lotal politics	See notes related to the question on the back side of this form.

Pg. 1

- Who fills out the form?
- When
- Expertise needed
- Instructions/notes
- Discuss each category

Forms



Solar Site Pollinator Habitat Assessment Form for Established Plantings (after vr.3)

Form for Established Plantings (after yr.3)
For solar companies and local governments to meet Habitat Friendly standards

Draft 2-9-20

1. % OF SITE DOMINATED BY NATIVE SPECIES COVER		6. AVAILABLE HABITAT COMPONENTS ON-SITE		
(wildflowers, grasses, sedges, shru	ıbs, trees)	(check/add all that apply)		
1-25% 26-50% 51-75%. 76-100%	+5 points +15 points +20 points +25 points	☐ At least 2% milkweed cover +5 points ☐ Detailed management plan +15 points developed(see notes) with funding/contract to implement		
Total p	oints	Signage legible at forty or more +5 points		
2. PERCENT OF SITE DOMINATED	BY WILDFLOWERS	feet stating pollinator friendly		
(not grasses and sedges)		solar habitat (at least 1 every		
1-10 %	+10 points	20ac.)		
11-20 %	+15 points	Constructed and maintained +5 points		
21-30 %	+20 points	nesting habitat feature/s (bee		
31-40 %	+25 points	blocks, etc.) Total points		
☐ 41+	+30 points	7. INSECTICIDE RISK		
Total p	oints	Planned on-site insecticide -25 points		
o cours sursecutiv ()	111 - 400			
3. COVER DIVERSITY (# of plant sp		electrical boxes, etc.)		
1-9 species	+5 points	Communication with local +10 points		
10-19 species 20-25 species	+15 points +20 points	chemical applicators/		
26 or more species	+20 points +25 points	neighbors about need to		
20 of More species	T23 points	prevent drift from adjacent		
Total p	oints	areas.		
Exclude invasives/noxious weed:	s from speci <mark>es t</mark> otals.	Total points		
4. SEASONS WITH AT LEAST 3 BLC	OOMING SPECIES			
PRESENT (check/add all that appl	y)	Grand Total		
Spring (April-May)	+5 points			
Summer (June-August)	+5 points	a Charles and Austria		
☐ Fall (September-October)	+5 points	Provides Exceptional Habitat >85 Meets Pollinator Standards 70-84		
Total p	oints	Meets Pollinator Standards 70-84		
See BWSR Pollinator Toolbox for I	formation about			
bloom season				
6. AVAILABLE HABITAT COMPONE	NTS WITHIN	Project Name		
.25 MILES (check/add all that app	ly)	Vegetation Consultant:		
☐ Native bunch grasses for nesting +3 points		Project County:		
☐ Native flowering shrubs	+4 points	Project Size:		
Clean, perennial water source				
Created nesting feature/s	+4 points			
(bee blocks, etc.) Total p	oints	See notes related to the question on the back side of this form.		

- Who fills out the form?
- When
- Other inspections
- Expertise needed
- Instructions/notes
- Discuss each category

Guidance

Prairie Establishment & Maintenance Technical Guidance for Solar Projects

Minnesota Department of Natural Resources
Revised July 2019



- What's Included
 - Suggested guidance
 - Site preparation
 - Seed mix design
 - Planting
 - Management

Guidance- Sample Specifications

Sample Specifications for the Establishment of Native Vegetation as Part of Habitat Friendly Solar Projects

5-9-19

Developed by the Minnesota Board of Water and Soil Resources and the Minnesota Department of Natural Resources

Note: these specifications are suggestions for projects and should be adapted to meet specific site conditions and project goals.

CONTRACTOR QUALIFICATIONS

 Seeding contractors must have at least three years of experience installing native seed and installing or maintaining prairie restoration projects or other similar types of projects.

PROPOSED CHANGES TO PROJECT SPECIFICATIONS

Once project specifications are approved by the local government unit (LGU) that is reviewing it
for compliance with the Habitat Friendly Solar Standards they are considered final. Any changes
to the project specifications after this point, need approval by the LGU responsible for
compliance with the Habitat Friendly Solar Standards

SEED SPECIFICATIONS

- Substitution of species in the specified seed mixes/species lists must be approved by the local
 government organization staff that are reviewing the project for compliance with the Habit
 Friendly Solar Standards
- All seed that is supplied for projects must be labeled according to the requirements of the Minnesota Seed Law, section 21.82, including limits on noxious weed seed.
- The origin of seed is required to be listed on the seed tag for all species in a mix to provide verification of original (generation 0) seed source. The smallest known geographic area (township, county, ecotype region, etc.) shall be listed.
 - Information pertaining to purity, germination, and hard (dormant) seed of individual components in a mix is required on seed tags.
 - When submitting seed bids, seed vendors must list any Amaranth seeds that were found in official seed tests. If Amaranth species are found in the test results, the Minnesota Department of Agriculture (MDA) requires that the vendor pay for genetic testing to determine if the Amaranth seeds present are Palmer amaranth.
- 4 Sood must be closed to an extent sufficient to allow its nassage through appropriate cooling

 Specifications covering all key aspects of site planning, installation and management

BWSR's Website: bwsr.state.mn.us/bwsr-habitat-friendly-solar-program



BWSR Habitat Friendly Solar Program

